




NOZZLE SCHEDULE			
MARK	QTY	SIZE / RATING	DESCRIPTION
N1	1	2" TRI-CLAMP	INLET
N2	1	2" TRI-CLAMP	OUTLET
N3	4	1/2" TRI-CLAMP	PRESS GA
N4	2	1/2" TRI-CLAMP	VENT
N5	2	1/2" TRI-CLAMP	CLEAN DRAIN
N6	0	-	DIRTY DRAIN

VESSEL DESIGN CONDITIONS	
CODE: BEST COMMERCIAL PRACTICE	
M.A.W.P.:	150 PSI @ 250°F
M.D.M.T.:	-20° F @ 150 PSI
M.A.E.P.:	15 PSI @ 250°F
CORROSION ALLOWANCE:	NONE
HYDROTEST PRESS:	150 PSI
STAMP:	NC
SERVICE:	NON LETHAL
PWHT:	N/A
RADIOGRAPHY:	N/A
MATERIAL:	SS-316/L
GASKET:	BUNA-N

VESSEL DRY WEIGHT: 167.9911 #'s
 VESSEL FLOODED WEIGHT: 400 #'s
 VESSEL SHIPPING WEIGHT: 300 #'s
 VESSEL VOLUME: 2.3 C.F.



- NOTES:
 1. DUPLEX WILL HOUSE (QTY=2) DOUBLE LENGTH BASKETS.
 2. BEADBLAST INSIDE & OUT
 3. ELECTROPOLISHED INSIDE & OUT

REV.	DATE	REVISION	DRAWN	APP'D
 FIL-TREK CORPORATION CAMBRIDGE ONTARIO - CANADA www.fil-trek.com • Tel: 519.623.7448 • Fax: 519.623.8807				
<small>THIS DRAWING IS THE PROPERTY OF FIL-TREK CORPORATION AND MUST NOT BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE CORPORATION</small>				
EQUIPMENT:		BAG FILTER DUPLEX		
MODEL NO:		S6EBDV212-2TC-SW-V1-EP		
CUSTOMER:		STOCK		
PARENT: -	DRAWN: JM	DATE: NOV 8 2010	JOB No.	DWG. No.
PAGE: 1 OF 4	CHK'D: JM	SCALE: NTS	V-5143	R001935
				REV. No. 0

NTS