



PEPTDP SERIES

Deep Pleated Bag Filters

- Deep Pleated Bag Filters
- Nominally Rated
- Universal

Ideal for high viscosity applications.



SUITABLE USES



Air & Gas



Desalination



Coolant



Water



Electronics



Coatings



Oil & Gas



Chemical



Pulp & Paper



Power



Marine



Equipment

- ADHESIVES/COATINGS/INKS
- ANTIFREEZE
- ANIMAL OILS
- PETROLEUM PRODUCTS
- COOLING TOWER WATER
- ELASTOMERS
- RESINS/ACRYLICS/EPOXIES
- SALT WATER
- INDUSTRIAL PROCESS WATER

ADDITIONAL FEATURES

Deep pleated polyester phenolic resin filter bags.

Nominally rated with reliable retention ratings from 1µm to 100µm range at 90% efficiency.

Designed for high viscosity applications.

Excellent removal of gel like particulate.

Heat set fibres and thermally bonded end caps eliminate fibre migration and bypass.

Broad chemical capabilities.

Sized to fit standard P2 housings.

For more information, please contact info@fil-trek.com or visit Fil-Trek.com

PEPTDP SERIES

Deep Pleated Bag Filters

- Deep Pleated Bag Filters
- Nominally Rated
- Universal



BAG SPECIFICATIONS

MAXIMUM DIFFERENTIAL PRESSURE 35 PSIG @ 200°F (93°C)

DIMENSIONS

P2 6")
7")

MATERIALS OF CONSTRUCTION

Media Polyester w/
Phenolic Resin Textile

Flange/Collar Polypropylene

O-Rings Buna-N, EPDM, Viton

TEMPERATURE LIMIT Polyester @ 275°F

FILTER DETAILS

PEPTDP SERIES

Fil-Trek's PEPT bag filters are comprised of 20 square feet of polyester media infused with Phenolic Resin Textile.

The non-compressible layers prove to be more effective in the removal of gel like particulate over traditional filter bags.

Designed for higher viscosity applications these bags securely trap waste on the inside of the bag. With the gradient density and the increased surface area, the performance and efficiency is much higher than traditional bags and the filter life is extended allowing to minimize waste and change-out times.



SUITABLE APPLICATIONS

PETROLEUM PRODUCTS

- Asphalts
- Machine Coolants
- Crude Oils
- Grease
- Hydraulic Fluid
- Kerosene
- Lubricating Oils
- Silicone Oils
- Waxes

WATERBASES

- Antifreeze
- Cooling Tower Water
- Industrial Process Water
- Oil Well Completion
- Solutions
- Salt Water

ADHESIVES/ COATINGS/INKS

- Adhesives
- Emulsions
- Enamels
- Box Inks
- Lacquers
- Paints
- Sealants
- Shellac
- Varnishes

RESINS

- Acrylics
- Alkyds
- Aminos
- Epoxies
- Silicones
- Urethanes
- Vinyls

OTHER

- Animal Oils
- Cosmolene
- Elastomers
- Glycerine
- Inorganic
- Acids (dilute)
- Plasticizers
- Rapeseed Oils
- Turpentine
- Tung Oils


PEPTDP SERIES

Deep Pleated Bag Filters

- Deep Pleated Bag Filters
- Nominally Rated
- Universal



FLOW CHART



PRODUCT NOMENCLATURE

PEPTDP	PE	5	2	BN	SC
SERIES	MEDIA	MICRON	SIZE	FLANGE/ COLLAR TYPE	OTHER
PEPTDP	PE – POLYESTER IMPREGNATED	1 3 5 10 15 25 50 75 100	2 – 26"	BN – BUNA (STD) ED – EPDM VI – VITON	SC – 6 $\frac{3}{8}$ " OD (STD) BC – 7 $\frac{1}{2}$ " OD