55 Stafford Court Cambridge, ON N1T 1B3 P (519) 623-7448 F (519) 623-8807

MERA PLEAT SILVER

Pleated Bag Filters

- Pleated Filter Bags
- Nominally Rated
- Made with Polypropylene or Polyester Media

Deep pleated bag filters engineered for higher flow applications and lower initial pressure drops.

SUITABLE USES





Desalination





Electronics







Pulp & Paper







ADDITIONAL FEATURES

Nominally rated with retention ratings between 1µm and 200µm at 90-95% efficiencies.

Silicone free construction.

Two layers of polypropylene or polyester media along with thermally bonded end caps help prevent particulate bypass and offers 5-10 times the surface area of standard bag filters.

Broad chemical compatibility.

Polypropylene and polyester materials meet FDA regulations for food contact under CFR21, Section 177.1520.

For more information, please contact info@fil-trek.com or visit Fil-Trek.com



MERA PLEAT SILVER

Pleated Bag Filters


- Pleated Filter Bags
- Nominally Rated
- Made with Polypropylene or Polyester Media



STANDARD SPECIFICATIONS

MAXIMUM DIFFERENTIAL PRESSURE	35 PSID @ 200°F (93°C)			
MAXIMUM OPERATING TEMPERATURE	Polypropylene @200°F (93°C) Polyester @275°F (135°C)			
DIMENSIONS				
Outside Diameter	6.25" (15.875 cm)			
AVAILABLE LENGTHS	P1—12" (30.48 cm) P2—26" (66.04 cm)			
MEDIA	Polypropylene Polyester			
END CAPS, EXTERNAL NETTING	Polyethylene			
GASKETS/O-RINGS	Buna-N EPDM Viton			
MICRON RATINGS	1, 5, 10, 25, 50, 75, 100, 200			

FLOW RATE



MICRON	PLEAT PACK CONSTRUCTION			
1	5/1 pleat pack			
5	10/5 pleat pack			
10	25/10 pleat pack 50/25 pleat pack			
25				
50	75/50 pleat pack			
75	100/75 pleat pack			
100	200/100 pleat pack			
200	200/200 pleat pack			

PRODUCT NOMENCLATURE

MPS	РО	5 MICRON		2	BN	_
SERIES	MEDIA			SIZE	O-RING/GASKET	OTHER
I PS – Iera Pleat Silver	PO – Polypropylene PE – Polyester	1 5 10 25	50 75 100 200	1 – Size 1 (12" lg) 2 – Size 2 (26" lg)	BN – Buna-N EP – EPDM VI – Viton	(-) Standard Cap (6½" Dia) BC – Large cap (7½" Dia)

